

April 10, 2017

Shulong Dai

Ponci trading co,ltd

Room 908, JiaZheng International Building, No.28, Moyu Road,  
Anting Town, Jiading District, Shanghai 201805,P.R.C



***Lupolen 2427F***

A product of Basell International Trading FZE

Dear Shulong Dai:

The following is in response to your request for Product Stewardship Information (PSInfo) for the product listed above. The attached Product Stewardship Bulletin (PSB) details the regulatory status of this product.

LyondellBasell Industries responds to product stewardship requests with a standardized Product Stewardship Bulletin (PSB) which summarizes the global regulatory status of a product. LyondellBasell Industries will not complete customers' forms or questionnaires. Standardized responses provide each customer with consistent information in a timely fashion. Each request is reviewed to ensure our response documents provide relevant information.

Please note that compliance with these regulations should not be interpreted to guarantee that the product, will, in fact, perform in a particular application. Your Technical Service Representative can help you determine that the characteristics of the product are compatible with the desired conditions of use.

Should you have any further questions concerning a LyondellBasell product, or if we can assist in any other way, please do not hesitate to contact us.

Best regards,

A handwritten signature in black ink that reads "Frederick Chan". The signature is written in a cursive, flowing style.

Frederick Chan

Product Safety Manager AP, AFMEI Regions

+852-25850120

frederick.chan@lyondellbasell.com

# Product Stewardship Bulletin



## *Lupolen 2427F*

A product of Basell International Trading FZE

### Global Food Contact Status:

#### European Union

This product complies with the relevant requirements of Regulation 1935/2004/EC (Framework Regulation) as applicable to intermediate materials (e.g. plastic powders, plastic granules or plastic flakes).

This product complies with the relevant requirements of Regulation 2023/2006/EC (GMP) and as amended, applicable to intermediate materials (e.g. plastic powders, plastic granules or plastic flakes).

This product complies with the relevant requirements of Regulation 10/2011/EC (PIM) as amended, applicable to intermediate materials (e.g. plastic powders, plastic granules or plastic flakes).

The monomers and additives used to produce this product are listed in the Union List of Authorized Substances of Regulation 10/2011/EC and subsequent amendments.

EU Regulation 10/2011/EC specifies 10 mg/dm<sup>2</sup> as the maximum overall migration (OML) from the finished plastic food contact material or article. The OML and SMLs (when applicable) should be determined according to the requirements specified in EU Regulation 10/2011/EC and subsequent amendments. The OML and SML determinations are the responsibility of the manufacturer of the finished plastic food contact material or article. In addition, we remind you that the manufacturers of the finished food contact material or article must verify that the finished material or article, manufactured according to good manufacturing practices, does not modify the organoleptic properties of the food.

#### SML Components

This product contains one or more components with Specific Migration Limits (SMLs).

68320; Octadecyl 3(3,5-Di-tert-butyl-4-hydroxyphenyl) propionate; SML = 6 mg/kg

#### Dual Use Additives

This product contains one or more Dual Use Additives as defined in Regulation 10/2011/EC.

- ▶ E 551 Silicon Dioxide

## United States

The base resin in this product meets the FDA requirements contained in the Code of Federal Regulations in 21 CFR 177.1520(a)(2)(i) and (c)2.2.

This product may also contain adjuvant substances that may be safely used in polymers used for the manufacture of articles that come into direct contact with food. According to our information, the substances used in this product meet the requirements of their respective FDA regulations and 21 CFR 177.1520(b).

This product meets the FDA criteria in 21 CFR 177.1520 for food contact applications, including cooking, listed under conditions of use A through H in 21 CFR 176.170(c), Table 2, and can be used in contact with all food types as listed in 21 CFR 176.170(c), Table 1.

## China

### GB4806.1-2016 - Food Contact Material & Articles General Safety Requirement

This product complies with relevant requirements of GB4806.1-2016 - Food Contact Material & Articles General Safety Requirement, as applicable to Plastic Resins.

### GB4806.6-2016 - National Food Safety Standard: Food Contact Resins

The base resin in this product complies with the specifications established in GB4806.6-2016, "National Food Safety Standard: Food Contact Resins, Appendix A.1, Serial Number 91, resin type PE."

Following Substances with SML(T); are specified in Table A.1 for the corresponding base resin:

### GB9685-2016 - National Food Safety Standard: Additives for use in Food Contact Materials and Articles

The additives used in this product comply with the requirement of "GB9685-2016 National Food Safety Standard: Additives for use in Food Contact Materials and Articles" and relevant approval announcements.

Please note that some additives could have migration (SML, SML (T)) and/or Maximum Residual (QM) restrictions applicable to final food contact articles, the identities of which may or may not be disclosed in this document.

Additives with Max Residual (QM) are not intentionally used in this product.

### SML/SML(T) Additives:

The following additives with Specific Migration Limit (SML) and/or Total Specific Migration Limit (SML (T)) specifications are used in this product:

- ▶ FCA 0576; Octadecyl 3-(4-hydroxy-3,5-di-tert-butylphenyl)propionate; SML = 6mg/kg

## General Remarks

GB4806.1-2016 "Food Contact Materials & Articles -General Safety Requirement" Clause 8.4, requires only the manufacturer of the finished plastic food contact article to declare compliance with OML specification.

Final plastic food contact articles may have additional compliance requirements, and are the responsibility of the manufacturer of the finished plastic food article.

## **Allergen Statements**

### **Allergen - Food Allergen European Regulation 1169/2011**

The food ingredients listed in Annex II of Regulation (EU) No 1169/2011, are not used in the manufacture of or formulation of this product. However, this product has not been tested for these substances.

## **Biomedical Policy**

This product(s) may not be used in:

(i) any U.S. FDA Class I, Health Canada Class I, and/or European Union Class I Medical Devices, without prior notification to Seller for each specific product and application; or (ii) the manufacture of any of the following, without prior written approval by Seller for each specific product and application: (1) U.S. FDA Class II, Health Canada Class II or Class III, and/or European Union Class II Medical Devices; (2) film, overwrap and/or product packaging that is considered a part or component of one of the aforementioned Medical Devices; (3) packaging in direct contact with a pharmaceutical active ingredient and/or dosage form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration; (4) tobacco related products and applications; (5) electronic cigarettes and similar devices.

(iii) Additionally, the product(s) may not be used in: (1) U.S. FDA Class III, Health Canada Class IV, and/or European Class III Medical Devices; (2) applications involving permanent implantation into the body; (3) life-sustaining medical applications.

All references to U.S. FDA, Health Canada, and European Union regulations include other country's equivalent regulatory classifications.

## **Animal Based Raw-Materials (BSE/TSE)**

Components derived from animal sources are not used in the manufacture or formulation of this product.

## **Tallow**

Tallow derived components are not used in the manufacture or formulation of this product.

## **Epoxy Derivatives**

The materials BADGE, BFDGE or NOGE are not intentionally added in this product as referenced in Commission Regulation 1895/2005/EC, on the use of certain epoxy derivatives in materials and articles intended to come into contact with foodstuffs as plasticizers, additives or raw materials.

### **California Prop 65**

This product presents "no significant risk" for cancer to the people of California. This product contains no substances known to the State of California to cause reproductive toxicity at a level of exposure subject to the requirements of Proposition 65.

### **Halal Certification**

This product is not certified as Halal.

### **Kosher Certification**

This product is not certified Kosher.

### **Latex**

No materials containing latex or natural rubber are used in the manufacturing, handling and packaging processes for this product.

### **Metals Content**

### **US CONEG**

Based on the available documentation provided by our raw material suppliers, this product complies with the CONEG Model Legislation for requirements regarding the defined limit for the sum of heavy metals (lead, mercury, cadmium and hexavalent chromium).

### **EU Packaging and Packaging Waste**

Based on the available documentation from raw materials suppliers, this product complies with the directive 94/62/EC and its following amendments concerning the defined limit(s) of heavy metals.

### **Restriction of Hazardous Substances in Electric and Electronic Equipment (RoHS)**

RoHS Regulation refers to electrical and electronic equipment and not specifically to plastic raw materials. However, based on the available documentation from raw materials suppliers, this product complies with the requirements of the Directives 2002/95/EC and 2011/65/EU, as amended, concerning the limits of cadmium, lead, mercury, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE), bis(2-ethylhexyl)phthalate (DEHP), butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and diisobutyl phthalate (DIBP).

### **Nanomaterials**

Nanomaterials (defined as natural, incidental or manufactured materials containing particles, in an unbound state or as an aggregate or as an agglomerate and where, for 50 % or more of the particles in the number size distribution, one or more external dimensions is in the size range 1 nm - 100 nm) are not used in the manufacture of or the formulation of this grade. However, this product has not been tested for these chemical substances.

## Other Chemicals

The chemical materials listed below are not intentionally used in the manufacture or the formulation of this product. However, this product has not been tested for these chemical materials.

2-(2H-1, 2, 3-Benzotriazol-2-yl)-4,6-di-tert-butylphenol; (Benzotriazole); CAS# 3846-71-7;

2,4,4'-trichloro-2'-hydroxydiphenyl ether; (Triclosan); CAS# 3380-34-5;

2-mercaptobenzothiazole; MBT; CAS# 149-30-4;

Acrolein; (propenal); (CAS# 107-02-8);

Acrylamide; CAS# 79-06-1;

Alkylphenols

Aromatic amines;

Asbestos;

Azo Dyes and Pigments;

Polyaromatic Hydrocarbons - PAHs:

1,2-dihydro-acenaphthene; (CAS# 83-32-9);

9H-Fluorene; (CAS# 86-73-7);

Acenaphthylene; (CAS# 208-96-8);

Anthracene; (CAS# 120-12-7);

Benz(a)anthracene; (CAS# 56-55-3);

Benzo(a)pyrene; (CAS# 50-32-8);

Benzo(b)fluoranthene; (CAS# 205-99-2);

Benzo(e)pyrene; (CAS# 192-97-2);

Benzo(ghi)perylene; (CAS# 191-24-2);

Benzo(j)fluoranthene; (CAS# 205-82-3);

Benzo(k)fluoranthene; (CAS# 207-08-9);

Chrysene; (CAS# 218-01-9);

Dibenz(a,h)anthracene; (CAS# 53-70-3);

Fluoranthene; (CAS# 206-44-0);

Indeno(1,2,3-cd)pyrene; (CAS# 193-39-5);

Naphthalene; (CAS# 91-20-3);

Phenanthrene; (CAS# 85-01-8);

Pyrene; (CAS# 129-00-0);

Bisphenol A; (BPA); CAS# 80-05-7;

Bisphenol A diglycidyl ether; (BADGE); CAS# 1675-54-3;

Bisphenol F diglycidyl ether; BFDGE; CAS# 2095-03-6;

Butylated hydroxyanisole; (BHA); CAS# 121-00-6 & 25013-16-5;

Butylated hydroxytoluene; (BHT); CAS# 128-37-0

Chlorinated paraffins;

Cyanuric acid; (Isocyanuric Acid or CYA); CAS# 108-80-5;

Dimethyl fumarate; (DMF); CAS# 624-49-7;

Dioxins;

Epichlorohydrin; (ECH); CAS# 106-89-8;

Fluorocarbons;

Fluorotelomers

Formaldehyde; CAS# 50-00-0;

- ▶ Formaldehyde in specific conditions could be formed during the resin processing (see MSDS)

Gold(Au); CAS# 7440-57-5;

Halogenated Flame Retardants

Melamine; (1,3,5-Triazine-2,4,6-triamine); CAS# 108-78-1;

Nonylphenol; CAS# 25154-52-3;

Nonylphenol ethoxylates;

Novolac glycidyl ether;

Organotin compounds;

Perfluorochemicals; (PFCs);

Perfluorooctane sulfonate; (PFOS); CAS# 1763-23-1;

Perfluorooctanoic acid; (PFOA); CAS# 335-67-1;

Phthalates;

Polybrominated biphenyls; (PBBs);

Polybrominated diphenyl ethers; (PDBEs);

Polybrominated terphenyls; (PBTs);

Polychlorinated biphenyls; (PCBs);

Polychlorinated naphthalenes; (PCNs);

Polychlorinated terphenyls; (PCTs);

Polystyrene;

Polyvinyl chloride; (PVC); CAS# 9002-86-2;

Radioactive substances;

Radon; CAS# 10043-92-2;

Styrene monomer; CAS# 100-42-5;

Sulphur dioxide; CAS# 7446-09-5;

Tin oxide (SnO<sub>2</sub>); (Cassiterite); CAS# 8062-08-6;

Tris-nonylphenol phosphite; (TNPP); CAS# 26523-78-4;

Vinyl chloride; CAS# 75-01-4;

Wolframite; Tungsten (W); CAS# 1332-08-7;

## **Ozone Depleting Substances**

### **European Union**

The ozone-depleting substances (ODS), listed in the Annexes I & II of the Regulation ( EC ) No 1005/2009 of 16 September 2009, are not intentionally used in the manufacture of or formulation of this product.

## United States

Materials listed in the Clean Air Act Amendments of 1990 (Class I, CFC's and Class II, HCFC's, Halons and the solvents, carbon tetrachloride and 1,1,1-trichloroethane) are not intentionally used in the production of this product.

## REACH Information

This product is manufactured by affiliates and subsidiaries of the LyondellBasell group of companies around the world.

Under the EC Regulation REACH this product is classified as a preparation. If the product has been purchased from Basell Sales & Marketing Company B.V. BSM), we confirm that all substances in this preparation have been pre-registered or, where required under REACH, registered, and that we have the intention either to proceed with their registration in accordance with the deadlines set forth in REACH, or to procure substances only from suppliers from which confirmation has been received that the suppliers are aware of their REACH requirements, that they have met their pre-registration and applicable registration obligations of their substances, and that they will supply the relevant Safety Data Sheets (SDS) with REACH registration numbers as soon as the registrations occur. In no event shall any LyondellBasell group be liable for any non-compliance deriving from false or incorrect statements of its suppliers.

We remind you, if this product is purchased from any supplier, including other companies of the LyondellBasell group, which is not established in the European Union, the importer into the European Economic Area (EEA) is responsible for compliance with the requirements of REACH.

Please contact REACH@LyondellBasell.com if you need to discuss the potential compliance with REACH before importing this product into the EEA.

## REACH Substances of Very High Concern (SVHC)

This product does not contain any of the Annex XIV candidate chemicals proposed to be Substances of Very High Concern (List as of January 12, 2017) above the 0.1% threshold as stated in REACH (Article 57, Regulation No. 1907/2006) determined either through (i) non-use of the substance, (ii) mass balance calculation, or (iii) specific testing. The current list of all SVHCs can be found at ECHA website link listed below:

<http://echa.europa.eu/web/guest/candidate-list-table>

## Global Chemical Control Regulations

All ingredients in this product are in compliance with the following chemical inventories:

See Section 15, of the SDS (Safety Data Sheet) for Global Chemical Inventories.

## VOC Content

## Switzerland VOC Declaration

This product contains less than 3% VOC's of the substances in the positive lists of the Switzerland Regulations "VOC-LENKUNGSABGABE."

### **CEN Standard prEN 13432**

This product is not suitable for composting.

### **Energy Recovery - CEN Standard prEN 13431**

The calorific gain from polyethylene in an energy recovery process is 22 MJ/Kg.

### **Disclaimer**

The information in this document is, to our knowledge, true and accurate at the time and date of issue. However, information in this document may be updated periodically due to changes in the laws and regulations, or for other reasons, therefore we cannot guarantee that the status of this product will remain unchanged. Users are expected to regularly visit the PSInfo Website to obtain the most current information on this product. Product Stewardship Bulletins not directly received from the PSInfo system are uncontrolled documents.

Before using a product sold by a company of the LyondellBasell family of companies, users should make their own independent determination that the product is suitable for the intended use and can be used safely and legally.

**SELLER MAKES NO WARRANTY; EXPRESS OR IMPLIED (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY WARRANTY) OTHER THAN AS SEPARATELY AGREED TO BY THE PARTIES IN A CONTRACT.**

Users should review the applicable Safety Data Sheet before handling the product.

This product(s) may not be used in the manufacture of any of the following, without prior written approval by Seller for each specific product and application:

- (i) U.S. FDA Class I or II Medical Devices; Health Canada Class I, II or III Medical Devices; European Union Class I or II Medical Devices;
- (ii) film, overwrap and/or product packaging that is considered a part or component of one of the aforementioned medical devices;
- (iii) packaging in direct contact with a pharmaceutical active ingredient and/or dosage form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration; tobacco related products and applications, electronic cigarettes and similar devices.

The product(s) may not be used in:

- (i) U.S. FDA Class III Medical Devices; Health Canada Class IV Medical Devices; European Class III Medical Devices;
- (ii) applications involving permanent implantation into the body;
- (iii) life-sustaining medical applications.

All references to U.S. FDA, Health Canada, and European Union regulations include another country's equivalent regulatory classification.

In addition to the above, LyondellBasell may further prohibit or restrict the use of its products in certain applications. For further information, please contact a LyondellBasell representative.

*Addhere, Adflex, Adstif, Adsyl, Akoafloor, Akoalit, Alathon, Amazing Chemistry, Aquamarine, Aquathene, Avant, Catalloy, Clyrell, CRP, Crystex, Dexflex, Explore & Experiment, Flexathene, Glacido, Hifax, Histif, Hostacom, Hostalen, Ideal, Integrate, Koattro, LIPP, Lucalen, Luflexen, Lupolen, Lupolex, Luposim, Lupostress, Lupotech, Metocene, Microthene, Moplen, Nerolex, Nexprene, Petrothene, Plexar, Pristene, Prodflex, Pro-Fax, Purell, Sequel, Softell, Spherilene, Spheripol, Spherizone, Starflex, Stretchene, Superflex, Toppyl, Trans4m, Ultrathene, Vacido and Valtec* are trademarks owned or used by the LyondellBasell family of companies.

*Adsyl, Akoafloor, Akoalit, Alathon, Aquamarine, Avant, CRP, Crystex, Dexflex, Explore & Experiment, Flexathene, Hifax, Hostacom, Hostalen, Ideal, Integrate, Koattro, Lucalen, Lupolen, Microthene, Moplen, Nexprene, Petrothene, Plexar, Pristene, Pro-Fax, Purell, Sequel, Softell, Spheripol, Spherizone, Starflex, Toppyl, and Ultrathene* are registered in the U.S. Patent and Trademark Office.